

# **APPENDIX A**

The attached Appendix is considered to be part of and included in the present Amendment.

# HTML source

The following HTML source does not contain scripting code or form support as those elements of the HTML application are irrelevant for the purposes of demonstration.

```
<html>
<head>
<title>
  User Interface
</title>
<style type="text/css">
  . { font-size: 10pt; font-family: arial,sans-serif }
  .uibody { }
  .uimenuubar { background-color: #acacac }
  .uimenuitem { font-size: 9pt; padding-right: 6px; padding-left: 6px }
  .uitoolbar { background-color: #c0c0c0 }
  .uipanel { }
  .uibtn { width: 16px; border-top: 1px solid; border-bottom:
1px solid; border-left: 1px solid; border-right: 1px solid }
  .uibtnxt { nowrap; border-top: 1px solid; border-bottom: 1px
solid; border-left: 1px solid; border-right: 1px solid }
  .uigroup { background-color: #e0e0e0; border-top: 1px solid; border-bottom:
1px solid; border-left: 1px solid; border-right: 1px solid }
</style>
</head>
<body class="uibody" leftmargin="0" topmargin="0">
<table cols="1" cellspacing="0" cellpadding="0" width="100%" height="100%">
<tr>
<td>
<table cols="2" cellpadding="0" cellspacing="0" width="100%">
<tr>
<td class="uimenuubar" height="20">
<table>
<tr>
<td class="uimenuitem" nowrap>
File
</td>
<td class="uimenuitem" nowrap>
Edit
</td>
<td class="uimenuitem" nowrap>
View
</td>
<td class="uimenuitem" nowrap>
Insert
</td>
<td class="uimenuitem" nowrap>
Tools
</td>
<td class="uimenuitem" nowrap>
Topic
</td>
<td class="uimenuitem" nowrap>
Help
</td>
<td width="10096" align="right">
</td>
</tr>
</table>
</td>
</tr>
</table>
</tr>
</table>
```

```

        <td height="1" bgcolor="#000000">
      </td>
    </tr>
    <tr>
      <td class="uitoolbar" height="28">
        <table>
          <tr>
            <td class="uibtn" align="middle">
              <span id="b01"></span>
            </td>
            <td class="uibtn" align="middle">
              <span id="b02"></span>
            </td>
            <td class="uibtn" align="middle">
              <span id="b03"></span>
            </td>
            <td width="4">
            </td>
            <td class="uibtn" align="middle">
              <span id="b04"></span>
            </td>
            <td class="uibtn" align="middle">
              <span id="b05"></span>
            </td>
            <td class="uibtn" align="middle">
              <span id="b06"></span>
            </td>
            <td class="uibtn" align="middle">
              <span id="b07"></span>
            </td>
            <td width="4">
            </td>
            <td class="uibtn" align="middle">
              <span id="b08">&nbsp;   Tool 1</span>
            </td>
            <td class="uibtn" align="middle">
              <span id="b09">&nbsp;   Tool 2</span>
            </td>
            <td class="uibtn" align="middle">
              <span id="b10">&nbsp;   Tool 3</span>
            </td>
          </tr>
        </table>
      </td>
    </tr>
    <tr>
      <td height="1" bgcolor="#000000">
      </td>
    </tr>
  </table>
</td>
</tr>
</tr>

```

```

        <td class="uipanel" width="100%" height="100%">
            <div style="position: relative; left: 0; top: 0; width: 100%;
height: 100%; overflow: auto">
                <table cellpadding="5" cellspacing="5">
                    <tr>
                        <td class="uigroup">
                            <div style="position: relative; left: 0; top: 0; width:
100%; height: 100%">
                                <div class="uicontrol">
                                    <span class="uilabel">Check Boxes</span>
                                </div>
                                <div class="uicontrol">
                                    <input type="checkbox" checked>
                                    <span class="uilabel">Check 1</span>
                                </div>
                                <div class="uicontrol">
                                    <input type="checkbox">
                                    <span class="uilabel">Check 2</span>
                                </div>
                                <div class="uicontrol">
                                    <input type="checkbox">
                                    <span class="uilabel">Check 3</span>
                                </div>
                            </td>
                        <td class="uigroup">
                            <div style="position: relative; left: 0; top: 0; width:
100%; height: 100%">
                                <div class="uicontrol">
                                    <span class="uilabel">Radio Buttons</span>
                                </div>
                                <div class="uicontrol">
                                    <input type="radio" checked>
                                    <span class="uilabel">Radio 1</span>
                                </div>
                                <div class="uicontrol">
                                    <input type="radio">
                                    <span class="uilabel">Radio 2</span>
                                </div>
                            </td>
                        <td class="uigroup">
                            <div style="position: relative; left: 0; top: 0; width:
100%; height: 100%">
                                <div class="uicontrol">
                                    <span class="uilabel">Buttons</span>
                                </div>
                                <div class="uicontrol">
                                    <input type="button" value="Push 1">
                                </div>
                                <div class="uicontrol">
                                    <input type="button" value="Push 2">
                                </div>
                            </td>
                        <td class="uigroup">
                            <div style="position: relative; left: 0; top: 0;
width: 100%; height: 100%">
                                <p>
                                    This is sample text with <a
href="http://www.yahoo.com/">Link 1</a>, <a
href="http://www.msn.com/">Link 2</a> and <a
href="http://www.aol.com/">Link 3</a>.

```

```

</p>
</div>
</td>
</tr>
</table>
<table cellpadding="5" cellspacing="5">
  <tr>
    <td class="uigroup">
      <div style="position: relative; left: 0; top: 0; width: 100%;
height: 100%">
        <div class="uicontrol">
          <span class="uilabel">Edits, Combo Boxes, List
Boxes</span>
          </div>
          <table>
            <tr>
              <td>
                <span class="uilabel">Text 1</span>
              </td>
              <td>
                <input type="text">
              </td>
            </tr>
            <tr>
              <td>
                <td>
                  </td>
                  <td>
                    <input type="text">
                  </td>
                </tr>
                <tr>
                  <td>
                    <span class="uilabel">Combo 1</span>
                  </td>
                  <td>
                    <select class="uicombo" size="1">
                      <option value="1">
                        Option 1
                      </option>
                      <option value="2">
                        Option 2
                      </option>
                      <option value="3">
                        Option 3
                      </option>
                    </select>
                  </td>
                </tr>
                <tr>
                  <td>
                    <span class="uilabel">Text 2</span>
                  </td>
                  <td>
                    <input type="text">
                  </td>
                </tr>
              </table>
            </div>
          </td>
        <td class="uigroup">
          <div style="position: relative; left: 0; top: 0; width:
100%; height: 100%">
            <table>

```

```

<tr>
  <td>
    <span class="uilabel">Combo 2</span>
  </td>
  <td>
    <select class="uicombo" size="1">
      <option value="1">
        Option 1
      </option>
      <option value="2">
        Option 2
      </option>
      <option value="3">
        Option 3
      </option>
    </select>
  </td>
</tr>
<tr>
  <td>
    <span class="uilabel">Text 3</span>
  </td>
  <td>
    <input type="text">
  </td>
</tr>
<tr>
  <td>
    <span class="uilabel">List 1</span> </td>
  <td>
    <select class="uiliblistbox" size="3">
      <option value="1">
        Option 1
      </option>
      <option value="2"> Option 2
      </option>
      <option value="3"> Option 3
      </option>
    </select>
  </td>
</tr>
</table>
</div>
</td>
</tr>
</table>
</div>
</td>
</tr>
</table>
</body>
</html>

```